Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

(Currently Amended) A system comprising:
 a plurality of audio modules,

at least one module of the plurality of audio modules including at least one audio output transducer and at least one audio input transducer that directly detects human audible sound;

a common control unit in communication with the plurality of audio modules;

an output device coupled to the control unit, the control unit presents at least audio information received at various of the modules, via the output device, with the presented audio indicative of the presence of individuals [[or]] and selected environmental conditions in the vicinity of the respective module; and

which includes at least one of circuitry or software to automatically analyze and audiol compare human audible sound directly detected by the audio input transducer of characteristic sounds emitted by a fire and received at the control unit with respect to at least one fire signature, to establish if an alarm-condition that a fire is present in the vicinity of at least one of the modules.

(Original) A system as in claim 1 which includes an audio input device, at the control
unit for transmitting audio messages to be output by transducers in at least some of the audio
modules.

3-5. (Canceled).

- (Previously Presented) A system as in claim 1 which includes at least one of circuitry or software to identify the at least one audio input transducer.
- (Previously Presented) A system as in claim 1 which includes at least one of circuitry or software to filter fire related noise if combined with voice.
- (Previously Amended) A system as in claim 1 which includes speech recognition software for processing received audio.
- (Previously Amended) A system as in claim 1 where at least some of the plurality of
 modules include thermal sensors.
- 10. (Previously Amended) A system as in claim 9 including software for processing thermal related signals received from at least some of the thermal sensors of the plurality of modules.
- 11. (Currently Amended) A method of monitoring a region comprising:

<u>directly</u> sensing <u>human audible sounds</u> audio-signals <u>via a microphone</u> from spaced apart locations in the region;

automatically analyzing the sensed audio-signals human audible sounds by comparing the sensed human audible sounds with stored signatures of a fire and responsive to recognizing an audio fire signature of characteristic sounds emitted by a fire, displaying locations of origination therefore.

12-13. (Canceled).

14. (Previously Presented) A method as in claim 11 which includes recognizing sounds of individuals at one or more locations in the regions.

15. (Canceled).

16. (Original) A method as in claim 11 which includes suppressing fire sounds from at least some of the sensed audio signals in order to more effectively recognize other sources of sound.

17-24. (Canceled).

25. (Currently Amended) A system comprising:

a plurality of audio input transducers that each directly detects human audible sound; at least one audio output transducer;

a control unit in communication with the output transducer and the plurality of input transducers the control unit contains audio signatures of fires, the control unit compares the directly detected human audible sound with the audio signatures to detect a fire;

a user interface device coupled to the control unit; and

the control unit presents at least location related audio information, received at various input transducers, via the interface device with the presented audio indicative of the presence of individuals or certain environmental conditions including at least the detected fire in the vicinity of the respective module; and

where the control unit analyzes and evaluates received audio of characteristic sounds emitted by a fire with respect to at least one fire signature.

- 26. (Canceled).
- (Original) A system as in claim 25 where the control unit uniquely identifies each of the audio input transducers.
- (Original) A system as in claim 25 where the control unit suppresses fire sounds in order to more effectively detect human voice.

29. (Original) A system as in claim 25 which includes speech recognition software for processing received audio.

30-33. (Canceled).